



TEST REPORT No. 077032/22

Order / Samples identification

Delivered on: 12.9.2022
Reception No.: 22077032
Sampling date: 8.9.2022

Analysis(es) carried out on: 12.9.2022 - 13.9.2022

S a m p l e s

Sample No. Description of sample

HP 44335	HerpeNorm (20 cps)
HP 44336	HypnoX [®] STOPstres (2x10 cps)
HP 44337	Inocell forte (60 cps)
HP 44338	Inovo 5 forte (90 tbl)
HP 44339	Inovo with herbs (60 tbl)
HP 44340	Colostrum with beta-glucans forte (70 cps)
HP 44341	NovoFerrin (30 cps)
HP 44342	"Klokan" (90 cps)
HP 44343	ALAVIS [™] MAXIMA Bestier Tribulus (60 cps)

FOOD HYGIENE DEPARTMENT

Laboratory testing

Gluten
RIDASCREEN
mg/kg

HP 44335	<5
HP 44336	<5
HP 44337	<5
HP 44338	<5
HP 44339	<5
HP 44340	<5
HP 44341	<5
HP 44342	<5
HP 44343	<5

The above listed analytes were examined using the following methods:

Analyte	Accreditation	Identification of the method used	Site
Gluten RIDASCREEN	A	[344] SOP 8.7.2. HP	¹

A = under accreditation

[] - the ordinal number of the method according to the Annex to the Certificate of Accreditation

< the result is less than the stated value, > the result is greater than the stated value

Short identification of the method Full identification of the test method

[344] SOP 8.7.2. HP

ELISA - RIDASCREEN GLIADIN (R5): R-BIOPHARM

Site

¹ Rantířovská 93/20, Horní Kosov, 586 01 Jihlava

Limits of quantification (LOQ):

Sample	Parameter	LOQ	Unit
HP 44335	Gluten RIDASCREEN	5	mg/kg
HP 44336	Gluten RIDASCREEN	5	mg/kg
HP 44337	Gluten RIDASCREEN	5	mg/kg
HP 44338	Gluten RIDASCREEN	5	mg/kg
HP 44339	Gluten RIDASCREEN	5	mg/kg
HP 44340	Gluten RIDASCREEN	5	mg/kg
HP 44341	Gluten RIDASCREEN	5	mg/kg
HP 44342	Gluten RIDASCREEN	5	mg/kg
HP 44343	Gluten RIDASCREEN	5	mg/kg

The laboratory shall not be held responsible for sampling and correctness sample-related data provided by the customer. The sample descriptions listed in "Order/samples identification" or "Sample identification and test results" are data supplied by the customer (except for the results). The results relate only to the items tested. The test report shall not be reproduced, except in full, without the written approval of the accredited testing laboratory.

Date of issue: 14.9.2022

Report prepared by: [Redacted]

Approved:

[Redacted]
Head of accredited laboratory,
Director of SVI Jihlava


.....
Laboratory specialist

[Redacted]
Head of the Department of food hygiene

----- End of the test report -----